



State of Utah
JON HUNTSMAN Jr.
Governor
GARY HERBERT
Lieutenant Governor

Utah Department of Health

David N. Sundwall, MD

Executive Director

Epidemiology and Laboratory Services

Patrick F. Luedtke, MD, MPH.

Director of Public Health Laboratories

Bureau of Laboratory Improvement

David B Mendenhall, MPA, MT (ASCP)

Bureau Director



NELAP
Recognized

4/16/2008

DataChem Laboratories Incorporated - Cincinnati
James R Baxter
4388 Glendale-Milford Road
Cincinnati OH 45242-3706

ID # DATA2
EPA ID: OH00255

Director,

In recognition of your NELAP accreditation and in compliance with the ELCP requirements, the laboratory listed is certified for environmental monitoring under the Safe Drinking Water Act and authorized to perform the following methods, for the analytes and matrix listed:

Drinking Water

Asbestos

100.1 [1983]	Asbestos
100.2 [1994]	Asbestos

The effective date of this certificate letter is: 4/1/2008.

The analytes by method which a laboratory is authorized to perform at any given time will be those indicated in the most recent certificate letter. The most recent certification letter supersedes all previous certification or authorization letters. It is the certified laboratory's responsibility to review this letter for discrepancies. The certified laboratory must document any discrepancies in this letter and send notice to this bureau within 15 days of receipt. This certificate letter will be recalled in the event your laboratory's certification is revoked.

Respectfully,

Patrick F. Luedtke, MD, MPH.

Director of Public Health Laboratories

Deputy Director of Epidemiology and Laboratory Services

The expiration for the laboratory's certification is 3/31/2009. The Utah Environmental Laboratory Certification Program (ELCP) encourages clients and data users to verify the most current certification letter for the authorized method. For further assistance please call Lorna Ward 801-584-8469.